### CONTRACT DATA REQUIREMENTS LIST

				SYSTE		M240	MG 7.	62MM				
1. s	EQUENCE	NUMBER						RTBUT	ION	DRFT		
3 4. D	. SUBTI ATA ITE	DATA I' TLE M NUMBEI REFEREI	₹				D131.	KIBUI	ION	·	COPIES	•
6. T	ECHNICA	L OFFIC	E 7. D	D 8. AP				T				
			AS OF D BMISSION	ATE	ATE OF S	SUBSEQU	JENT S	UBMIS	SION			
1. A					<b></b>	<b></b>	14.		CCL-F			
		ATION CI		NTROL*			(EC	ALS)		,	/ /	
4. D	I-CMAN-	81554										
5. S	ECTION	С										
6. Al	MSTA-AR	-CCL-F	7. N	0 8.	9. **	•						
10.	ASREQ	11.						15.	TOTAL	, 0	/ 0/ 0	)
12.	ASREQ			13. A	SREQ							
;	ECALS *DATA I IMPLEM THE POC	ENGINEI WORLDWII NFORMATI ENTED BY	DE WEB P ION PACK THE DO ALS IS L	TIONS IAI AGE HTTP ET **D: D CONFIGI EE SADAUS	://EDMD4 ISTRIBUT URATION	PICA. TION ST MANAGE	ARMY.I ATEMEI ER	MIL/. NT WI	LL BE	ASSIG		
1. A	 002		<del>-</del>				14.	<b>-</b>			<b>-</b>	
			- PHOSPH ON PROCE	ATE COAT	ING			RACTI	ATIVE NG		/ 1/ / / / /	
4. D	I-NDTI-	80603**										
5. M	IL-DTL-	16232G										
6. AI	MSTA-AR	-WEP	7. X	X 8. A	9. N/	'A						
10. 0	ONE/R	11.	N/A					15.	TOTAL	0/	′ 1/ 0	
	60DAC			13. N	/A							
16. I	REMARKS											

BLOCK 8 CONT. - PRIOR TO PRODUCTION APPRAVAL THRU THE CONTRACTING OFFICER IS REQUIRED W/IN 60 DAYS AFTER CONTRACT AWARD. A DD FORM 250 IS NOT REQUIRED FOR PHOSPHATE COATING PROCEDURE APPROVAL. CONTRACTOR FORMAT ACCEPTABLE. SHALL BE SUBMITTED ON AN IBM COMPATIBLE 3-1/2" DISKETTE IN RICH TEXT FORMAT (RTF).

\_\_\_\_\_\_ 1. A003 AMSTA-LC-CIAT / 1/ 2. TRANSPORTATION DISCREPANCY REPORT 4. DI-MGMT-80544A 5. SOW, ACTBY INST, para 3a(1) 6. AMSTA-LC-CIA 7. NO 8. 9. N/A 10. ASREQ 11. ASREQ 15. TOTAL 0/1/0 12. \* 13. 16. REMARKS \*SUBMISSION REQUIRED UPON DISCOVERY OF TRANSPORTATION DISCREPANCY WHEN MATERIEL IS RECEIVED AT CONTRACTOR'S FACILITY. E-MAIL: mosleya@tacom.army.mil -------1. A004 14. AMSTA-LC-CIAC / 1/ 2. REPORT OF SHIPPING (ITEM) AND 3. PACKAGING DISCREPANCY 4. DI-MGMT-80503 5. SOW, ACTBY INST, para 3a(2) 6. AMSTA-LC-CIA 7. NO 8. 9. N/A 10. ASREQ 11. ASREQ 15. TOTAL 0/1/0 12. \* 13. 16. REMARKS \*SUBMISSION REQUIRED UPON DISCOVERY OF SHIPPING DISCREPANCY WHEN MATERIEL IS RECEIVED AT CONTRACTOR'S FACILITY. REPORT SHALL BE SUBMITTED WITHIN 3 DAYS OF DISCOVERY. E-MAIL: rods@ria.army.mil AMSTA-LC-CIAT / 1/ 2. REQUEST FOR GOVERNMENT FURNISHED 3. MATERIEL (GFM) 4. DI-MGMT-80408B 5. SOW, ACTBY INST, para 4 6. AMSTA-LC-CIA 7. NO 8. 9.N/A

10. ASREQ 11. ASREQ 15. TOTAL 0/1/0 12. \* 13. 16. REMARKS \*SUBMISSION REQUIRED TO RECEIVE GFM E-MAIL: mosleya@tacom.army.mil 1. A006 14. AMSTA-LC-CIAT / 1/ 2. GOVERNMENT FURNISHED MATERIEL (GFM) 3. CONSUMPTION REPORT 4. DI-MGMT-80438B 5. SOW, ACTBY INST, para 5 6. AMSTA-LC-CIA 7. DD 8. 9. N/A 10. MTHLY 11. 0 TIME 15. TOTAL 0/1/0 12. 40 DAC 13. 16. REMARKS SUBMISSION REQUIRED TO REFLECT GFM CONSUMED DURING REPORT PERIOD-NEGATIVE REPORT REQUIRED.BLK 10:10TH DAY OF MONTH FOLLOWING REPORT MONTH. E-MAIL: mosleya@tacom.army.mil 1. A007 14. AMXLS-MD / 1/ 2. SMALL ARMS SERIALIZATION PROGRAM 3. (SASP) TRANSACTION CARD STORAGE LOC / 1/ 4. DI-MISC-80914A 5. SOW, ACTBY INST para 6 6. AMSTA-LC-CIA 7. DD 8. 9.N/A 10. ASREQ 11. ASREQ 15. TOTAL 0/2/0 12. \* 13. 16. REMARKS \*SUBMISSION REQUIRED IMMEDIATELY UPON GOVERNMENTS ACCEPTANCE OF WEAPONS, ALSO REQUIRED IMMEDIATELY UPON RECEIPT OF CONTRACTOR. E-MAIL: uit@logsa.army.mil -----APPROVED BY: SHELLEY SCHABILION, SDMO, AMSTA-AR-OAD DATE: 10/11/2000

### **DOCUMENT SUMMARY LIST**

Item: M240 MG 7.62MM

m2+DM47.62mm 1005-01-418-6995

NSN: 1005-01-

Control Number/PRON: J50A0B48M1

Identifies all first tier documents (cited in SOW) (applicable DIDs). Also included are all referenced documents (2nd, (includes DID block 10 references), 3<sup>rd</sup> and lower tier) which have been tailored.

### **DOCUMENT CATEGORY:**

CATEGORY O - Unless otherwise specified in the solicitation, contract, or contract modifications, all documents are for guidance and information only.

CATEGORY 1 - The requirements contained in the directly cited document are contractually applicable to the extent specified. All referenced documents are for guidance and information only.

CATEGORY 2 - The requirements contained in the directly cited document and the reference documents identified in the directly cited document are contractually applicable to the extent specified. All subsequently referenced documents are for guidance and information only.

CATEGORY 3 - Unless otherwise specified in the solicitation, contract or contract modification, all requirements contained in the directly cited document and all reference and subsequently referenced documents are contractually applicable to the extent specified.

Document Number (Contract Reference) Applicable Tailoring	Document Title	Document Date/ Document Category
1a. MIL-STD-2549 Table DIP4-1	Configuration Management Data Interface	30 Jun 97 Cat 2
1b. DI-CMAN-81554 (seq A001)	Configuration Change Control Data Information Packet	30 Jun 97 Cat 2
2. ANSI/ISO/ASQC Q9002 or equivalent	Model for Quality Assurance in Production, Installation & Servicing	18 Jul 94
3a. MIL-DTL-16232G (TDPL)	Phosphate Coating Heavy Manganese or Zinc Base	07 Jan 00 Cat 2
3b. DI-NDTI-80603 (DD Form 1423)	Test Procedure	01 Jun 88 Cat 1

# ATTACHMENT 3 paged of 2

4. FAR PART 45 (ACCTBY INST, para 1,7)	Federal Acquisition Regulation	1 Apr 84 Cat 3
5. AR 710-3 (ACCTBY INST, para 4,7)	Asset and Transaction Reporting System	16 Dec 87 Cat 3
6a. N/A (ACCTBY INST, para 4a(1))	Statement of Work	N/A Cat 2
6b. DI-MGMT-80544A (DD Form 1423)	Transportation Discrepancy Report	8 Nov 90 Cat 1
7a. N/A (ACCTBY INST, para 4a(2))	Statement of Work	N/A Cat 2
7b. DI-MGMT-80503 (DD Form 1423)	Report of Shipping (Item) and Packaging Discrepancy	30 Dec 87 Cat 1
8a. N/A (ACCTBY INST, para 5)	Statement of Work	N/A Cat 2
8b. DI-MGMT-80408B (DD Form 1423)	Request for Government Furnished Materiel	15 May 98 Cat 1
9a. N/A (ACCTBY INST, para 6)	Statement of Work	N/A Cat 2
9b. DI-MGMT-80438B (DD Form 1423)	Government Furnished Materiel (GFM) Consumption Report	15 May 98 Cat 1
10a. N/A (ACCTBY INST, para 7)	Statement of Work	N/A Cat 2
10b. DI-MGMT-80914A (DD Form 1423)	Small Arms Serialization Program (SASP) Transaction format	24 Jul 91 Cat 1

SPECIAL PACKAGING INSTRUCTIONS 1. NATIONAL STOCK NO.					1. NATIONAL STOCK NO.		
(AMCCOM Suppl 1 to AR 700-15)				1005-01-418-6995			
2. SPI NO.	2. SPI NO. P12977099			3. REVISION / 970228			4. DATE. 961017
5. PART OR DRAWING NUMBER			6. FSC		770220		7. MIL-P-116 CLEANING/
4207	7100	•		40	200		DRYING * MII _D_446
8. QUP / UNIT OF ISSUE 9. IC		UNIT PACK WEIGHT	11. UNI		ZUU CUBE (EX	<u>(1)</u>	* MIL-P-116 12. UNIT PACK SIZE (EXT)
(APPROX LB)				PPROX	FT)	•	(APPROX FT)
1 / EA	QUIREME	45.25 NTS		1.	706	· · · · · · · · · · · · · · · · · · ·	2.73 x 0.719 x 0.870
MIL-P-116 METHOD	STEPS	DRAWING OR SPECIFICATION	STYLE	TYPE	GRADE	CLASS	SIZE (INSIDE DIMENSIONS IN INCHES) AND REMARKS
		•					
			-				
			-				
	<u> </u>	i	<u> </u>	J		l	
14 a. LEVEL B : METHOD _		- 🗆	NOT APP	LICABLE			SEE NOTE
14 b. LEVEL C : METHOD_		<u> </u>	NOT APP	LICABLE			SEE NOTE
15. INTERMEDIATE PACKAG OTHERWISE SPECIFIED	ING AND HEREON.	PACKING WILL BE	IN ACCO	RDANCE	WITH SP	ECIFICA	TION MIL-STD-2073-1 OR AS
16. MARKING WILL BE IN A				N OF T	HE ISSUE	IN CEE	ECT ON DATE OF INVITATION
FOR							· .
BID FORM A PART OF THE SPECIFICATION							
MIL-STD-2073-1 FORM PAR IAW MIL-STD-2073-1.	T OF THIS	DATA SHEET. UNL	ESS OTH	ERWISE	SPECIFIE	D , MATE	RIALS WILL BE MINIMUM SIZE
18. TOLERANCES SHALL BE REQUIREMENTS SHALL	IN ACC	PROPERTY MATE	ERIAL SE	ECIFICA	TIONS, C	UALITY	PERFORMANCE AND TESTING
	DE IN CC	MACHINANCE WITH P	WILL-P-110	UK AS	UINERW	SE SPE	JIFIED HEREON.
19. NOTES / DRAWINGS							
							•
		SPECIFIED, ANY THE ITEM SHALL				S OF I	MIL-P-116 THAT
NOTE:							
SUPPORTS SHALL BE FABRICATED OF AS MANY THICKNESSES OF FIBER BOARD AS							
REQUIRED.							
THE BLOCKING MAY BE LAMINATED AS SPECIFIED IN PARAGRAPH 3.3 OF PPF-F-320 OR BANDED TOGETHER WITH TAPE PPP-T-76.							
TOLERANCE +/- 0.06.							
20 ITEM IDENTIFICATION CO	OE(S)	21. ITEM SIZE	1	22 . ITE	w wr	23. A	PPROVED:
62		41 X 12 1/4 X	7 1/2	4(	0.25		Divi
24. NOMENCLATURE MACHINE	GUN	7.62MM: M240D	)		25.	DAGE .	1 OF 16 PACES
MACHINE GUN, 7.62MM: M240D PAGE: 1 OF 16 PAGES							

AMCCOM Form 357-R, 1 NOV. 86

SPECIAL PACKAGING	INSTRUCTION (Continued)
NATIONAL STOCK NUMBER 1005-01-418-6995	SPI NUMBER (PN) P12977099
	<del></del>

## PACKAGING MATERIALS

P/N	ITEM AND SIZE	SPECIFICATION	STYLE	TYPE	CLASS	VARIETY	QTY PER ITEM
1	BAG , BARRIER , SIZE - AR	MIL-B-117 150-1002		I		В	2
2	BARRIER MATERIAL, TRANSPARENT, VCI TREATED	MIL-B-22019 150-1212	•	п			1
} 3		·		,			·
<b>4</b> . "	BOX , FIBERBOARD (41 X 12.25 X 7.5) INSIDE DIMENSIONS	PPP-B-636 P9348199-4	FOL		<b>V</b> 3C		1
5	HOLDER , RECEIVER P12977099-6	PPP-F-320 (SEE SHT 12)	•	CF		WR	1
6	SUPPORT , EXTENSION P12977099-5	PPP-F-320 (SEE SHT 11)		CF		WR	1
7	TAPE 150-5001	PPP-T-76					A/R
8	TAPE 150-5002 2" TAPE 150-5005 1"	PPP-T-60 A-A-883A					A/R A/R
9	BORE TUBE P/N 150-8001	MIL-P-3420	A	I	3		. 2

NOVE NO. 1		
NOMENCLATURE	PAGE NUMBER	NUMBER OF PAGES
MACHINE GUN, 7.62MM: M240D	2	46
ANOCON E		10

SPECIAL PACKAGING INSTRUCTION (Continued)

NATIONAL STOCK NUMBER
1005-01-418-6995

SPI NUMBER (PN)
P12977099

### PACKAGING MATERIALS

P/N	ITEM AND SIZE	SPECIFICATION	STYLE	TYPE	CLASS	VARIETY	QTY PER ITEM
10	BARRIER MATERIAL BARREL 150-1206 (9" X 31")	MIL-B-22019		п			2
11	PACKAGING CRATE 150-7002	PPP-B-601	1	os		В	1/20
12	BARRIER BAG RUPTURE CART. EXT 150-1501 (3" X 6 1/2")	MIL-B-117F	2	I	E.		1
13	SUPPORT, F.B. GRIP P12977099-7	PPP-F-320		CF		WR	1
14	BARREL MATERIAL OPER, ROD ASSY. DRIVE SPRING ROD 150-1204 (8" X 23")	MIL-B-22019		II			1
15	SUPPORT, BARREL P11826290G-8	PPP-F-320		CF		WR	1
16	SUPPORT, BACKING P11826290G-6	PPP-F-320		CF		WR	1

NOMENCLATURE

MACHINE GUN, 7.62MM: M240D

PAGE NUMBER OF PAGES

16

SPECIAL PACKAGING INSTRUCTION (Continued)

NATIONAL STOCK NUMBER (PN)
1005-01-418-6995 P12977099

#### **GENERAL REQUIREMENTS:**

ALL GUN COMPONENTS AND BASIC ITEMS RECEIVED AS G.F.E. PACKAGED AS SPECIFIED HEREIN, SHALL NOT BE REPACKAGED. G.F.E. COMPONENTS AND BASIC ISSUE ITEMS NOT PACKAGED AS SPECIFIED HEREIN SHALL BE REPACKAGED.

- 1. MATERIALS, METHODS, PROCESSES AND PROCEDURES: MATERIALS, METHODS. PROCESS AND PROCEDURES SPECIFIED HEREIN SHALL CONFORM TO THE REQUIREMENTS OF MIL-P-116.
- 2. PRESERVATION:
- 2.1 <u>LEVEL A:</u> THE MACHINE GUN SHALL BE PRESERVED AND PACKAGED METHOD I AS SPECIFIED HEREIN.
- 2.1.1 CLEANING: THE MACHINE GUN SHALL BE DISASSEMBLED AS NECESSARY TO ACCOMPLISH THE REQUIRED CLEANING SPECIFIED HEREIN. ALL METALLIC SURFACES SHALL BE CLEANED BY PROCESS C-3 IN ADDITION TO THE FOLLOWING SPECIAL CLEANING. (SEE 2.1.1.1). NON-METALLIC SURFACES SHALL BE CLEANED BY PROCESS C-1.
- 2.1.1.1 SPECIAL CLEANING: (BURNED POWDER RESIDUE). SURFACES OF COMPONENTS SUBJECTED TO BURNED POWDER RESIDUES SHALL BE SCRUBBED CLEAN WITH BRISTLE BRUSHES AND / OR SWABS SATURATED WITH RIFLE BORE CLEANER CONFORMING TO MIL-C-372. FLUSH THE SCRUBBED SURFACES WITH SOLVENT CONFORMING TO P-D-680.
- 2.1.2 <u>DRYING:</u> ALL CLEANED SURFACES SHALL BE THOROUGHLY DRIED PRIOR TO PRESERVATIVE APPLICATION. DRYING SHALL BE IN ACCORDANCE WITH PROCEDURE D-1 EXCEPT THAT THE BARREL BORE AND CHAMBER SHALL BE DRIED BY PROCEDURE D-4 USING CLEAN, DRY, LINT-FREE SWABS.
- 2.1.3 APPLICATION OF PRESERVATIVE: ALL METALLIC SURFACES OF THE MACHINE GUN SHALL BE COATED WITH MEDIUM PRESERVATIVE OIL (P-9). APPLIED BY ANY APPLICABLE PROCEDURE. EXCESS OIL SHALL BE THOROUGHLY DRAINED FROM COATED SURFACES. PRESERVED MACHINE GUN SHALL BE ALLOWED TO DRY FOR A MINIMUM OF ONE (1) HOUR PRIOR TO UNIT PACK. LUBRICANTS CONTAMINATED OR REMOVED DURING THE CLEANING PROCESS SHALL BE REAPPLIED IN ACCORDANCE WITH THE APPLICABLE DRAWING REQUIREMENTS.

FEDERAL ITEM NAME
MACHINE GUN, 7.62MM: M240D
PAGE NUMBER
NUMBER OF PAGES
4
16

SPECIAL PACKAGING INSTRUCTIONS (Continued)

NATIONAL STOCK NUMBER | SPI NUMBER (PN) | P12977099

#### 2.1.4 **UNIT PACK:**

- 2.1.4.1 PLACE SLING IN BAG (P/N 1) WHICH SHALL BE CLOSED BY HEAT SEALING. PLACE IN RECEIVER SUPPORT (P/N 1) SEE SHEET 10.
- 2.1.4.2 REMOVE BARREL FROM GUN.
- 2.1.4.3 PLACE MANUAL IN BAG (150-1002) WHICH SHALL BE CLOSED BY HEAT SEALING AND TAPE (150-5001) TO SIDE OF BOX (P/N 1).
- 2.1.4.4 REMOVE SPADE GRIP REMOVE OPERATING ROD ASSEMBLY AND DRIVE SPRING ROD REASSEMBLE SPADE GRIP TO RECEIVER PLACE RECEIVER ASSEMBLY , OPERATING ROD ASSEMBLY AND DRIVE SPRING ROD IN A COLD SEAL VCI BAG ( 150-1212 , 16" X 46" ). REMOVE PAPER FROM VCI BAG SEAL AROUND PARTS. THE MATERIAL SHALL BE COMPLETELY SEALED AROUND THE PARTS WITH NO VISIBLE OPEN CHANNELS THROUGH SEAL.
- 2.1.4.5 PLACE OPERATING ROD ASSEMBLY AND DRIVE SPRING ROD IN VCI BAG (150-1204)
  REMOVE PAPER SEAL BAG AROUND PARTS PLACE IN BOX UNDER BARRELS AND
  RECEIVER. ITEM 14
- 2.1.4.6 ENCAPSULATED WEAPON SHALL BE IMMOBILIZED IN FIBERBOARD BOX ( P9348199-4 )
  WITH RECEIVER. SPADE GRIP SUPPORTS ( P12977099-06 (ITEM 5) P12977099-7 (ITEM 6) P11826290G-8 (ITEM 15) P12977099-7 (ITEM 13) P11826290G-6 (ITEM 16).
  NOTE: SERIAL NUMBER SHALL BE FACE UP.
- 2.1.4.7 INSTALL BORE TUBE (150-8001) INTO BOTH BARREL ASSEMBLIES. PLACE EACH BARREL ASSEMBLY IN VCI BAG (150-1206) AND SEAL. PLACE BAGGED BARREL ASSEMBLIES IN BOX (9348199-4). ITEM 10
- 2.1.4.8 CARRYING CASE SHALL BE PACKAGED IN BOX ( P9348199-4 ), TRI-FOLD AND PLACE ON TOP OF RECEIVER ASSEMBLY.
- 2.1.4.9 PLACE RUPTURED CARTRIDGE CASE EXTRACTOR IN BAG (150-1501 ) ITEM 12 AND INSERT IN BOX (9348199-4).
- 2.1.5 CLOSURE SHALL BE IN ACCORDANCE WITH THE BOX SPECIFICATION. IN ADDITION ALL SEAMS AND JOINTS SHALL BE SEALED WITH TAPE (150-5001).

NOMENCLATURE	PAGE NUMBER	NUMBER OF PAGES
MACHINE GUN , 7.62MM: M240D	5	16
4140004		

SPECIAL PACKAGING INSTRUCTIONS (Continued)

NATIONAL STOCK NUMBER
1005-01-418-6995

SPI NUMBER (PN)
P12977099

11

- 2.2 <u>LEVEL B</u>:
- 2.2.1 <u>CLEANING</u>: CLEANING SHALL BE THE SAME AS SPECIFIED ON LEVEL A.
- 2.2.2 DRYING : DRYING SHALL BE THE SAME AS SPECIFIED ON LEVEL A.
- 2.2.3 <u>APPLICATION OF PRESERVATIVE</u>: APPLICATION OF PRESERVATIVE SHALL BE THE SAME AS SPECIFIED ON LEVEL A.
- 2.2.4 <u>UNIT PACK:</u> UNIT PACKAGING SHALL BE THE SAME AS SPECIFIED FOR LEVEL A.
- 2.2.5 BASIC ISSUE ITEMS (BII): NOT APPLICABLE.
- 2.2.6 <u>INTERMEDIATE PACKAGING</u>: NOT APPLICABLE.
- 2.3 LEVEL C:
- 2.3.1 <u>CLEANING</u>: CLEANING SHALL BE THE SAME AS SPECIFIED FOR LEVEL A.
- 2.3.2 <u>DRYING</u>: DRYING SHALL BE THE SAME AS FOR LEVEL A:
- 2.3.3 <u>APPLICATION OF PRESERVATIVE</u>: APPLICATION OF PRESERVATIVE SHALL BE THE SAME AS SPECIFIED FOR LEVEL A.
- 2.3.4 <u>UNIT\_PACK</u>: UNIT PACKAGING SHALL BE THE SAME AS SPECIFIED FOR LEVEL A WITH THE FOLLOWING EXCEPTIONS.
- 2.3.4.1 THE RECEIVER ASSEMBLY MAY BE ENCAPSULATED IN BARRIER MATERIAL ( P/N 10 ) AND SEALED IN LIEU OF THE PROCEDURE SPECIFIED IN PARAGRAPH 2.1.4.4.
- 2.3.4.2 THE FIBERBOARD BOX SHALL BE CLOSED IN ACCORDANCE WITH THE BOX SPECIFICATION. SEALING ALL SEAMS AND JOINTS IS NOT REQUIRED.
- 2.3.5 BASIC ISSUE ITEMS (BII): NOT APPLICABLE
- 2.3.6 INTERMEDIATE PACKAGING: NOT APPLICABLE

NOMENCLATURE	The second secon	
MONERCLATURE	PAGE NUMBER	NUMBER OF PAGES
BEA MALLIAM MALLA - CONTRACT	The nement	HOWDEN OF THEFO
MACHINE GUN, 7.62MM: M240D		46
L	•	16
41400014		

11

SPECIAL PACKAGING INSTRUCTIONS (Continued) NATIONAL STOCK NUMBER SPI NUMBER (PN) 1005-01-418-6995 P12977099

3. PACKING: (LEVELS A AND B) A QUANTITY OF TWENTY CONTAINERS SHALL BE PACKED (FLAT WISE, FOUR PER LAYER, FIVE LAYERS HIGH) IN A MINIMUM SIZE SHIPPING CONTAINER. THE CONTAINER SHALL CONFORM TO THE APPLICABLE LEVEL (3.1 OR 3.2). THE MAXIMUM ALLOWABLE TOLERANCE FOR VOID SHALL NOT EXCEED ONE-HALF INCH IN ANY DIMENSION (LENGTH, WIDTH OR DEPTH). CLOSURE / REINFORCEMENT SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE APPLICABLE CONTAINER SPECIFICATION.

ODD QUANTITIES: FOR QUANTITIES LESS THAN SPECIFIED FOR THE APPLICABLE LEVEL, ADJUST THE SIZE OF THE SHIPPING CONTAINER TO OBTAIN MINIMUM CUBE. BLOCKING AND BRACING SHALL BE EMPLOYED. AS REQUIRED IN ACCORDANCE WITH MIL-STD-1186.

- 3.1 LEVEL A: PPP-B-601, STYLE A. B. I. OR J. TYPE OS. GRADE B
- 3,2 LEVEL B: PPP-B-640, STYLE E, CLASS 1. THE PACKED CONTAINER SHALL BE SECURED TO AN EXPENDABLE PALLET CONFORMING TO PPP-P-1660. TYPE 1, CLASS A, GRADE 2. THE PALLET SHALL BE THE SAME AS THE OUTSIDE LENGTH AND WIDTH OF THE CONTAINER (TOLERANCE: +0,-5/8). THE SAME TYPE OF METALLIC STRAPPING SELECTED TO REINFORCE THE CONTAINER SHALL BE USED TO SECURE THE CONTAINER TO THE PALLET.
- 3.3 LEVEL C PACKING: NOT APPLICABLE.
- 4. MARKING:
- 4.1 MILITARY LEVELS A, B AND C: MARKING OF UNIT AND EXTERIOR CONTAINERS SHALL BE IN ACCORDANCE WITH MIL-STD-129. PACKING LISTS ARE REQUIRED.
- 4.2 SPECIAL MARKING:
- SERIAL NUMBERS: SERIAL NUMBER MARKING IS REQUIRED AND SHALL BE LISTED ON THE PACKING LIST.
- MARKING OF SENSITIVE ITEMS: MARKING OF SENSITIVE ITEMS IN 4.2.2 ACCORDANCE WITH MIL-STD-129 IS REQUIRED.

A second		
NOMENCLATURE	PAGE NUMBER	NUMBER OF PAGES
BEAGINATE COMM. MORANG. CO. CO.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	HOWDEN OF PAGES
MACHINE GUN, 7.62MM: M240D	l 7	16
AMCCOM F- 057 S A MICCOM	<u> </u>	

SPECIAL PACK	(AGING INSTRUCTIONS (Continued)
NATIONAL STOCK NUMBER	SPI NUMBER (PN)
1005-01-418-6995	P12977099

OPER NO.	PART NUMBER NATIONAL STOCK NUMBER	QTY	NOMENCLATURE	PACKAGING REQUIREMENTS
1	12597035 1005-01-251-9701	1	BARREL ASSEMBLY	ASSEMBLY SHALL BE CLEANED, DRIED AND PRESERVED AS SPECIFIED IN PARA 2.1
2	12977109	1	CASE, SPARE BARREL CARRYING	UNIT PACKAGE IAW PARA 2.1.4G
3	11826264 4933-01-033-1510	1	RUPTURED CARTRIDGE CASE EXTRACTOR	ASSEMBLY SHALL BE CLEANED, DRIED AND PRESERVED AS SPECIFIED IN PARA. 2.1

NUMBER OF PAGES NOMENCLATURE PAGE NUMBER MACHINE GUN , 7.62MM: M240D AMCCOM Form 357c-R, 1 AUG 84 16

	<b>PACKAGING</b>	INSTRUCTIONS	(Continued )
NATIONAL STOCK NUMBER	• •	SPI NUMBER (PN	)
1005-01-418-6995			P12977099
	J.		

ITEM AND SIZE	SPECIFICATION	STYLE	TYPE	CL	VAR
BOX, FIBERBOARD 40.5 X 11.87 X 7.25 INSIDE DIMENSIONS	PPP-B-636	FOL		V3C	


P/N P9348199-4

NOMENCLATURE

MACHINE GUN , 7.62MM : M240D AMCCOM Form 357c-R, 1 AUG. 84


PAGE NUMBER

NUMBER OF PAGES




SPECIAL PACKAGING INSTRUCTIONS (Continued) SPI NUMBER (PN) NATIONAL STOCK NUMBER P12977099 1005-01-418-6995 P12977099-5 **SUPPORT** 7.00 -- 1.25 2.63 - 2.00 3.00 -3.00 6.50 2.00 DEEP MATERIAL: FIBERBOARD PER: PPP-F-320 TYPE: CF VAR: WR DIMENSIONS ARE IN INCHES SW NOMENCLATURE PAGE NUMBER NUMBER OF PAGES MACHINE GUN, 7.62MM: M240D 11 16


i ;





AMCCOM Form 357c-R, 1 AUG.84



AMCCOM Form 357c-R, 1 AUG.84







### LIST OF ADDRESSES

Commander

U.S. Army Industrial Operations Command

ATTN: AMSIO-(see block 14 of DD form 1423 for symbols that apply)

Rock Island, IL 61299-6000

Director

Armament and Chemical Acquisition, and Logistics Activity

ATTN: AMSTA-AC (see block of DD form 1423 for symbols that apply)

Rock Island, IL 61299-8630

Director

U.S. Army, Armament, Research, Development & Engineering Center

ATTN: AMSTA-AR \*(R)(see block of DD form 1423 for symbols that apply)

Rock Island, IL 61299-7300

Commander

U.S. Army, Armament Research, Development & Engineering Center

ATTN: AMSTA-AR-\*(D) (See block 14 of DD Form 1423 for symbols that apply)

Picatinny Arsenal, NJ 07806-5000

\*When letter in parentheses at end of office symbol is a "R", use Rock Island address; when it is a "D", use Picatinny Arsenal address.

## E-MAIL ADDRESSES:

AMSTA-AR-QAA(D) aie-qaa@pica.army.mil AMSTA-AR-QAC(D)

aie-qac@pica.army.mil AMSTA-AR-QAT(D) aie-qat@pica.army.mil

AMSTA-AR-QA\_(R) amsta-ar-qa-cdrl@ria-emh2.army.mil

Ę	_
,	4
	J
	v
•	ч
ι	-4
	4
	ဘ
	S
	τ
	,

HAZARDOU S	TATEMENT			DATA	1 DATE PR	(0)	elecat contact symbol Mil (AR) 1687
2 MATERIAL/COMPONENT/AS	SEMBLY				86 Se		4 REVISION
9,000,000	_						- KEVISION
Cartridge, 7.6: 5 APPLICABLE FEDERAL ACQUI	2mm, NATO, SITION REGULATI	, Ball, On (FAR) SA	MEG FETY CLAUSE		10	132	D
			28.7				
6 FRICTION YEST	PART	I - SENSITI	VITY (Appar	atus and Comparison	Values)		
		INIPACI	1631		B ELECTRO	STATIC DISC	HARGE TEST
NA			NA			1	NA
9 FIRE	10	P	ART [] -H				
	10 AUTO IGNITIO	N TEMP	11. FLASH P	OINT	12 DECOM		
Low	NA		ì				d Inhalation
13 FLAMMABLE AND/OR EXPL	OSIVE LIMITS		14. EXPLOS	NA ION	and I	ngesti	on 16 Dusts
	UPPER PERCEN	7	1		(5 Sec.)	IVE TEMP.	16 DUSTS
NA	NA		<u>                                       </u>	Low	N.	A .	NA NA
17 HEALTH HAZARD INFORMA	TION (Toxicity)						cess) HAZARD CLASS Involved)
NOT TOXIC				•	Cla	ss 1.4	
19 SPECIAL REQUIREMENTS (IF. Ref-Dwg: 1852)	edditional space is 1998 and s	needed, use	plain bond pa				
Approved Packag  ** Classificat:  *** Small Arms  * PART	ions* Tri Ammunitio	i-Servi	ce Coord	EICA TION OF ITE	A MAUSAL O	ACKED	
20 DOD HAZARD CLASS/DIV	IN ACCOR	DANCE W	ITH APPRO	IVED PACKING DI	PAWINGS		
TO DOD HAZZAD CD433751V	GROUP	AGE COMPA	TIBILITY 22		FICATION	23. DOY C	ONTAINER MARKING
1.4		•		Class C			
24 PREPARED BY (Initiator)	<del></del>	s		Explosive			DC ***
. TYPED OR PRINTED NAME		b SIGNATI	185		c. ORGANIZ	4 710 1	
R. W. BATSON		- 5.6.1.2.16	`` <i>[M</i> ]			•	ice, ARDEC
25 CONCURRED IN BY		·	1.77.0		Sare	LY UII.	ice, ARDEC
. TYPED OR PRINTED NAME		b SIGNATU	IRE /	1	C. ORGANIZATION		
R. W. SNOOK		RI	W. And	th	Safe	ty Off	ice, ARDEC
26 SAFETY CHIEF OR AUTHORIZ a TYPED OR PRINTED NAME	ED REPRESENTA						
·C. PETERS		D SIGNATU	Peters		c. ORGANIZ		ice, ARDEC
The information relating	to safety (her			of the item			is made that com-
"safety data") contained in this document is limited to those instances when the document is provided as a part of a procurement/production package which involves the development, testing, storage, manufacture, modification, handling, disposal, inspection, packaging, transportation, handling, disposal, inspection, repair or any other use of the item, (material/component/assembly) which is specified in the contract. The safety data contained herein are examples which shall be used by the contractor of responsibility for the safety of contractor of responsibility for the safety of the general public in connection with the performance of the contract, or impose or add to any liability of the Government for such safety.							
D Form 2357, APR 85							

11

· //

11

de ugestig i di 1900 soop setot i batilisebut

Cartridge, 7.62mm, NATO, Ball, M8Ø Spec: MIL-C-46931 HCSDS: 10132 Dwg: 10521998, Rev-T Primer, No. 34 Spec: MIL-P-46610 HCSDS: 10062 Dwg: 10522621 Propellant, WC-846 HCSDS: 10117 10534784 (46 grains) Bullet Dwg: 8595669 10522590

10132 D 18 Sep 86

10132 D 18 Sep 86

# Special Requirements (Cont):

1. The M80 Cartridge is either packaged singularly or in multiple packages in combination with other cartridges. National Stock Numbers (NSN) are as follows:

11

# a. Cartridge, 7.62mm, NATO, Ball, M80:

NSN	DODIC	<u>UN Ident</u>
1305-00-542-1968** 1305-00-147-2989 1305-00-231-4630 1305-00-542-1219 1305-00-892-2330** 1305-00-935-9247** 1305-00-752-8837** 1305-00-892-4152** 1305-00-892-4152** 1305-00-914-4676 1305-00-935-9247** 1305-00-965-0601** 1305-00-965-0812	A128 A130 A130 A130 A143 A164 A128 A130 A119 A130 A122 A164 A648	0012 0012 0012 0012 0012 0012 0012 0012

# b. Cartridge, 7.62mm, NATO, Ball, M80 and Tracer, M62:

NSN		
NSN	DODIC	UN Ident
1305-00-542-1196** 1305-00-449-8055 1305-00-449-8068 1305-00-892-2150** 1305-00-892-2169** 1305-00-926-3942** 1305-00-152-3292** 1305-00-005-8007 1305-00-143-7163 1305-00-159-8593 1305-00-209-5139	A127 A131 A131 A131 A151 A165 A168 A131 A131 A131	9012 9012 9012 9012 9012 9012 9012 9012

Sheet 3 of 5

.1.

 $\mathbf{z}^{\prime}$ 

10 grade 100

11

10132 D 18 Sep 86

### Cartridge, 7.62mm, NATO, Ball, M80 and Ball, M59:

NSN	DODIC	UN Ident
1305-00-257-1089	A143	0012
1305-00-892-6155	A122	0012

11

\*\*Classifications\* Tri-Service Coordinated.

### Approved Packaging Drawings:

840 Cartridges - 5 RD Clips: 10521635, 8594726, 8594725, 8594724, 8594722

ridges - M13 Linked: 10522350, 8597306, 10534019, 10534012, 10534024 (NSN: 1305-00-892-2150\*\* - DODIC: A131) 800 Cartridges - Ml3 Linked:

920 Cartridges: 10522712, 7553747, 7553748, 7553710

(NSN: 1305-00-892-4152\*\* - DODIC: A119)

800 Cartridges - Ml3 Linked: 10524006, 10521861, 10521860, 10534019, 10534012, 10534024

(NSN: 1305-00-892-2330\*\* (DODIC: A143)

1500 Cartridges - M13 Linked: 10535782, 1053780, 1053781

(NSN: 1305-00-926-3942\*\* - DODIC: A165)

840 Cartridges - 5 RD Clips: 10522676, 8594726, 8594725, 8594724,

8594722

864 Cartridges - 8 RD Clips: 10534929, 10534931, 10534930

800 Cartridges - Ml3 Linked: 10535461, 8597306, 10534019,

10534012, 10534024

960 Cartridges: 10542324, 7553708, 7553709, 7553710

840 Cartridges - 5 RD Clips: 10542456, 10542454, 10542453,

8594724, 8594722

600 Cartridges - Ml3 Linked: 10542462, 10542461, 10542460, 10534012, 10534024

10132 D 18 Sep 86

600 Cartridges - M13 Linked: 10542465, 10542461, 10542460, 10534012, 10534024

1500 Cartridges - M13 Linked: 10542498, 10535781, 10535780

600 Cartridges - M13 Linked: 10542688, 10542678, 10542677, 10534012, 10534024

603 Cartridges - Ml3 Linked: 10542689, 10542678, 10542677, 10534012, 10534024

: 1

1508 Cartridges - M13 Linked: 11743959, 18535781, 18535788

3. Classifications\* are for shipment and storage of item when item is packaged in accordance with packaging drawings and Sections of 49 CFR as follows:

DEFINITION: Section 173.100(b)

PACKAGING: Section 173.101

MARKING: Section 172 Subpart D & Section 173.101(c) & (f)

LABELING: Excepted from the Label prescribed in Section 172.411.

Outside of each package to be plainly marked "Small Arms Ammunition".

Sheet 5 of 5

SD
19200
ιq
រោ
1000
H 0000
10123
partisse.

HAZARDOU	S COMPONENT SAFE	TY DATA STATE	MENT	20 Ju	n 85
MATERIAL/COMPONENT/ASSEMBLY			7 NUMBER	2 NUMBER 3 REVISION	
Cartridge, 7.62	nm, NATO, Test,	High Press	ure, M60	10123	В.
APPLICABLE AND SAFETY CL	USE FAR 2	8.7102	<del></del>	<del></del>	
		Apparatus and Co	•		
FRICTION TEST	6. IMPACT	TEST	7 816	CYROSTATIC DISC	HARGE TEST
NA		NA		NA	
		HAZARDS			
FIRE	P. AUTO IGNITION TE	MP 10. FLASH POI	1	OSITION PRODUC	
Low	NA	NA.		c, Avoid In Ingestion	nhalation
FLAMMABLE AND/OR EXPL		13. EXPLOSION	14. EXPLOSIV	/E TEMP(5 Sec)	5. DUSTS
IOWER PERCENT	b. UPPER PERCENT			, ,	
• NA	NA	Low	NA	j	NA
HEALTH HAZARD INFORMA	TION (Toxicity)		17. UNPACKI (Specify	ED (In-Process) HA Quantities Involve	ZARD CLASS d)
Not Toxic			Class	s 1.4	
B. SPECIAL REQUIREMENTS (C Ref Dwg: 75537	ontinuation on plain pape	er authorized)			
Approved Packag	_		ed Sheet)		
	SHIPPING/STORAGE				
9. DOD HAZARD 20. DOD CO	OMPAT 21. DOT HAZARD	CLASS 22 DO	ACKING DRAWING	ing	· · · · · · · · · · · · · · · · · · ·
CLASS/DIV GROUP	Class	s C			
3. PREPARED BY (Name, Sign	Explos	sive	Small Arms	Ammunition	n
LR. W. BATSON	el Land				
4. CONCURRED IN BY (Name	, Signature, Organization	) 25. 5/	AFETY OFFICE (Nome,	Signature, Organ	ization)
R. W. SNOOK R.	W. Snoch		C. PETERS	<u>-</u>	
The information relat	ing to safety (here	in referred to	as "safety data")	contained in	this docume

11

The information relating to safety (herein referred to as "safety data") contained in this document is limited to those instances when the document is provided as a part of a procurement/production package which involves the development, testing, storage, manufacture, modification, renovation, demilitarization, packaging, transportation, handling, disposal, inspection, repair or any other use of the item, (material/component/assembly) which is specified in the contract. The safety data contained herein are examples which shall be used by the contractor to alert contractor personnel as well as other personnel of hazards associated with the procurement/production of the item. No representation is made that compliance with the information provided will prevent any accident to persons or preperty or that additional warnings may not be appropriate. Neither the foregoing nor any act or failure to act by the Government in regard to alerting personnel to the hazards of the item shall affect or relieve the contractor of responsibility for the safety of contractor personnel or property and for the safety of the general public in connection with the performance of the contract, or impose or add to any liability of the Government for such safety.

Sheet 1 of 3

ARROOM FORM 47-R, 1 DEC BO

ted 10123 cod2 oddl B B 19200 SD

Cartridge, 7.62mm, NATO, Test, High Pressure, M60

Spec: MIL-C-46477
HCSDS: 10123
Dwg: 7553703, Rev-K

Primer, No. 34

HCSDS: 10062
Dwg: 10522621

Propellant, IMR-4475

HCSDS: 10010
Dwg: 10534786

(42 Grain)

Bullet

Dwg: 6016309

10123 B 20 Jun 85

Sheet 2 of 3

10123 В 20 Jun 85

### Special Requirements (Cont):

 Classifications\* are for shipment and storage when item is packaged in accordance with packaging drawings or sections of 49 CFR as follows:

DEFINITION: Section 173.100(b) PACKAGING: Section 173.101 Section 172 Subpart D and Section 173.101(c)(& (f) Excepted from the Label prescribed in Section 172.411. Outside of each package to be plainly marked "Small Arms Ammunition". MARKING: LABELING:

Approved Packaging Drawings:

10

10542414 - 8595430 - 8595429 - 8595428 7553710 960 Cartridges - Unlinked:

10542420 - 8595398 - 8595396 - 8595397 920 Cartridges - Unlinked:

755371Ø

# M 240 auD M240D Machine Gun

### ACCOUNTABILITY INSTRUCTIONS

- 1. Transfer of Accountability. Government furnished material (GFM) for consumption/incorporation: Accountability for this material is transferred to the Contractor under provisions of the FAR. The Contractor shall maintain the official property records in accordance with Part 45. Cited data item descriptions provide transaction reporting necessary for accurate physical and fiscal accounting for material in the possession of defense contractors.
- 2. Point of contact for accountability.

Associate Deputy, Commodity Business Operations/ Rock Island Site Manager Rock Island, IL 61299-7630 Commercial Phone: (309) 782-7616

- 3. All Data/Reports to be submitted electronically utilizing E-Mail with attachments of MSWORD, MICROSOFT EXCEL, or Flat Text file software packages. If unable to E-Mail, reports to be submitted on 3 ½ 1.44M floppy disks.
- 4. Material Receipt by Contractor.
- a. <u>Discrepancy Reporting</u>: Discrepancies shall be distinguished and reported as one of the following:
- (1) Transportation type discrepancy: This discrepancy is evident when material received disagrees with the condition, quantity, or type from that property described on the bill of lading or other transportation document. See DI-MGMT-80544A.
- (2) Shipping type discrepancy: This discrepancy is evident when freight is opened and the contents do not agree with the supply shipping documents. See DI-MGMT-80503, Report of Shipping (Item) and Packaging Discrepancy.
- 5. MILSTRIP Requisitioning.
- a. MILSTRIP requisition authority is granted for items identified by NSN and quantities (not to be exceeded) in this

contract. MILSTRIP requisitions will be submitted in accordance with DD Form 1423, DI-MGMT-80408B.

- b. Requisitions submitted under this contract shall contain the following data:
  - (1) Document Identifier Code Modifier (CC 3): A
  - (2) Routing Identifier Code (CC 4-6): A84
  - (3) Media and Status Code (CC 7): S
  - (4) Supplementary Address (CC 45-50): Blank
  - (5) Signal Code (CC 51): C
  - (6) Fund Code (CC 52-53): MC
  - (7) Distribution Code (CC 54): S
  - (8) Project Code (CC 57-59):
  - (9) Priority (CC 60-61): Blank
    03 Work Stoppage
    06 Anticipated Work Stoppage
    13 Routine
  - (10) Advice (CC 65-66): 2J
- 6. Consumption of GFM. Consumption of GFM shall be reported in accordance with DD Form 1423. See DI-MGMT-80438B.
- 7. Shipment of Serial Numbered Small Arms:
  - a. Tracking small arms by serial control transactions is required by AR 710-3, Chapter 4, section 1, and shall be accomplished in accordance with DI-MISC-80914A, Small Arms Serialization Program (SASP) Transaction.
  - b. Weapon Serial Number (WSN) control transactions will be furnished for each small arm shipped under DOD contracts in accordance with the following:
    - (1) One serial number control transaction (80 column format), as applicable, shall be furnished for each weapon shipped and forwarded with the shipment.

- One set of serial number control transactions will be forwarded to each of the appropriate addressee(s) cited in the contract data requirements list (CDRL) (DD Form 1423), block 14 within the time frames established by the CDRAL, block 16.
- (3) WSN control transactions required for the DOD Central Registry shall be forwarded by registered mail or E-Mail to:

Logistic Support Activity (LOGSA)
Attn: AMXLS-MD (UIT)
Redstone Arsenal Alabama 35898-7466
Commercial Phone 256-955-9694
DSN 645-9694
E-Mail uit@logsa.army.mil

- (4) Transactions may also be transceived by AUTODIN utilizing address routing code RUQADUE with content indicator code AHAE.
- 8. WSN control transactions accompanying weapons shall be packaged in suitable containers if floppy disk is used. The packaged transactions shall be placed with the other documents that accompany the shipment.

### 9. Excess GFM.

- a. <u>Inventory</u>: In accordance with the FAR, subpart 45.508-1, immediately upon termination or completion of a contract, the Contractor shall perform and cause each subcontractor to perform a physical inventory, adequate for disposal purposes, of all GFM applicable to the contract.
- b. <u>Reporting</u>: In accordance with the FAR, subpart 45.608, the Plant Clearance Office will determine the categories of screening required and initiate screening action.
- c. <u>Purchase or Retention</u>: The FAR, subpart 45.604 and applicable Government restrictions apply.

## ADDRESS CODE DISTRIBUTION FOR ECP/RFD/RFW/VECP

- 1. Concurrent distribution of Value Engineering Change Proposals (VECPs), Engineering Change Proposals (ECPs), Request for Deviations (RFDs) shall be submitted by the Contractors as follows:
- 2. The contractor shall submit copies as required and as Identified below to: Director, U.S. Army Armament Research, Development and Engineering Center, ATTN: AMSTA-AR-EDT-R (ECPs), Rock Island, IL 61299-7300 except for Chemical items (see note below).

a. VECPs -

original plus 3 copies

original (Tools & Equipment)

original plus 2 copies (Navy or Air Force)

b. ECPs -

original plus 2 copies

original (Tools & Equipment)

original plus 2 copies (Navy or Air Force)

c. RFDs/RFWs-

original plus 2 copies

original plus 2 copies (Navy or Air Force)

\*\*NOTE - All Chemical items shall be submitted to: Commander, CBDCOM, ATTN: SCBRD-EN(RI), Rock Island, IL 61299-7410.\*\*

- a. VECPS original plus 3 copies
- b. ECPs original plus 2 copies
- c. RFDs/RFWs original plus 1 copy
- 3. Provide one copy designated "Advance Copy" to one of the following design agencies if the agency is cited in the contract:
- a. Chemical Command: Commander, Chemical Biological Defense Agency, ATTN: SCBRD-ENE-D, Aberdeen Proving Ground, MD 21010-5423.
- b. U.S. Navy: Commander, Naval Surface Warfare Center, Crane Division, ATTN: Code 40, Crane, IN 47522-5000, or Commander, Naval Air Warfare Center, Weapons Division, 521,9th St., ATTN: Code 332200E, Point Mugu, CA 83042-5001.
- c. U.S. Air Force: Commander, U.S. Army Industrial Operations Command, ATTN: AMSIO-ASI-SA (Mr. Flood ASD/YH), Eglin Air Force Base, FL 32542-5000, or Commander, Ogden Air Logistics Center, ATTN: OO-ALC/LIWGE, 6034 Dogwood Ave., Hill Air Force Base, UT 84056-5816.
- 4. Provide one copy designated "Advance Copy" to:
- a. Contracting Officer: Director, Armament and Chemical Acquisition, and Logistics Activity, Rock Island, IL 61299-8630 (ACALA items) or Commander, Industrial Operations Command, Rock Island, IL 61299-6000 (IOC items).
  - b. Administrative Contracting Officer.
- 5. For VECPs only, provide one copy designated "Advance Copy" to the Value Engineering Division: Commander, U.S. Army Industrial Operations Command, ATTN: AMSIO-RMV, Rock Island, IL 61299-, 6000.
- 6. When ECPs, RFWs, RFDs are determined to be Urgent, Critical and/or Schedule impacting, an action copy shall be provided to AMSTA-AR-EDT-R via data facsimile (FAX) to 309-762-6450. This transmission is to be immediately followed with the usual hard copy mailing.

## **EXHIBIT A**

# NON-DISCLOSURE AND NON-USE AGREEMENT

1. The United States Government solicitation
for the procurement of includes
proprietary technical data and confidential information (hereinafter collectively referred to as "data") of FN Herstal, S.A., located at Voie de Liège 33, B-4040 Herstal, Belgium (hereinafter referred to as "FNH")
2. The undersigned, as an authorized representative of
(insert company name) (hereinafter "the recipient"), in consideration of
being furnished with FNH's data related to the (insert
M240 medium machine gun configuration) Weapon, hereby agrees that the recipient will only use the said data for the purpose of responding to a Government solicitation or performing a resultant Government contract.
3. Prior to receipt of the referenced solicitation containing FNH's data, the recipient shall sign and provide an original copy of this Non-Disclosure and Non-Use Agreement to the United States Government contracting officer/office responsible for the solicitation. The United States Government shall provide to FNH a copy of the present agreement after award (or cancellation) of the referenced solicitation.
4. The recipient shall not, without prior written permission of FNH, provide or disclose any of such data to any other company, person, or entity, except recipient's subcontractors and vendors. The recipient agrees that providing or disclosing such data to any such subcontractor or vendor shall be accomplished only for the purpose stated herein, to respond to a Government solicitation or perform a resultant Government contract, and shall not occur until such subcontractor or vendor has first executed a like Non-Disclosure and Non-Use Agreement as this agreement.
5. The recipient acknowledges that this agreement grants it no rights to commercial uses of any such data received pursuant to this agreement.
6. The recipient agrees to adopt operating procedures and physical security measures designed to protect the data from disclosure or release to unauthorized third parties.

4 5

- 7. The recipient agrees to promptly destroy all of FNH's data received under the referenced solicitation (and any copies made of such data) when the purpose of this agreement is fulfilled. The recipient further agrees to certify in writing, in the form of the attached Certificate of Destruction, to the Government as to the destruction of the data. Included with the return of this Certificate of Destruction, the recipient shall provide the contracting officer responsible for issuance of this Non-Disclosure and Non-Use Agreement, a list of the names and addresses of subcontractors and vendors which received a copy of the technical data package or part of the technical data package provided with the solicitation referenced herein. Nothing herein shall be interpreted to authorize the Government to release to FNH any information that is proprietary to the recipient.
- 8. The recipient agrees to indemnify the United States Government, and its agents and employees, from all liability arising out of, or in any way related to, the misuse or unauthorized disclosure by the recipient, its employees or agents, of any such data it receives. The recipient will hold the United States Government, and its agents and employees, harmless against every such claim or liability, including attorney fees, costs, and expenses, arising out of the misuse or unauthorized disclosure of any such data supplied to the recipient hereunder.
- 9. Execution of this Non-Disclosure and Non-Use Agreement by the recipient or any of its authorized subcontractors or vendors is for the benefit of FNH, which is a third party beneficiary of this Non-Disclosure and Non-Use Agreement, and FNH shall have the right to direct action against the recipient to enforce such agreement or to ask for damages which may result from any material breach of this agreement.
- 10. The requirements contained in this agreement shall be effective only for so long as such data remain unpublished, as the term unpublished is defined by FNH or specified by a contract between FNH and the United States Government, or as shown in a legend appearing on such data, whichever of the above events shall occur first.
- 11. Notwithstanding the foregoing, any obligation of confidentiality by this agreement shall not extend to proprietary information:
- (i) Which is legally and without restriction in the possession of recipient, the Government, or its employees or contractors prior to the date of receipt hereunder from the United States Government or from FNH:
- (ii) Which enters the public domain at any time through no fault of the recipient, the Government, or its employees, agents or contractors; or

SECOND MODIFICATION CONTRACT DAAA09-77-C-2018 EXHIBIT A Page 3

(iii) Which is disclosed by a third party without restriction or without breach of this agreement and without inducement by the recipient or the Government of such party to breach any agreement or obligation of confidentiality.

12.	Signatur	e:		
Nam	e of Recipi	ent		
Signa	ature			·
			٠.	
Type	d name	•		
Title		<del></del> , .		
Date		<del></del>		<del></del>
24.0				
Addr	ess of Reci	pient		
Solic	itation Nur	nber		•

L